

City of Columbus

Historic Preservation Office

Approved Roofing Shingle List

Below is a list of shingles that have been reviewed by the Brewery District, German Village, Historic Resources, Italian Village and Victorian Village Commissions. These shingles may be administratively approved by Historic Preservation Office staff. Any shingle that is not on this list requires the submission of a shingle sample board and review by the appropriate commission at a regular monthly hearing. **All roofing projects require a Certificate of Appropriateness from the Historic Preservation Office and Registration with the Building and Development Services Division (645-7433) before work begins.**

MANUFACTURER	STYLE	COLOR
CertainTeed	Carriage House (dimensional)	Stonegate Gray
GAF	Slateline (dimensional)	English Gray Slate Weathered Slate
CertainTeed	(standard 3-tab)	Nickel Gray
GAF	Royal Sovereign (standard 3-tab)	Nickel Gray
Owens Corning	(standard 3-tab)	Estate Gray
Tamko	(standard 3-tab)	Antique Slate

NOTES:

- If ridge venting is not sufficient, contact the Historic Preservation Office (645-8620) before installation of any/all venting systems. All hips and ridges to be capped with galvanized metal ridge roll, not cut shingle tabs. All ridge roll is to extend to the ridge edges (i.e., flush with the fascia).
- All metal ridges, valleys, and flashing are to be painted “Tinner’s Red” or “gray” to match shingles as closely as possible.

For assistance or additional information please contact the Historic Preservation Office staff at 645-8620.